Dated 4th February 1953.

To

The Firms dealing in Air-Craft Spares.

Enquiry No. 11434.

Subject :—Supply of Air-Craft Spares to the Government Flying Training School, Bangalore.

Dear Sir/Gentlemen,

No. S.P.C. 45946-65. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of Air-Craft spares to the Government Flying Training School, Bangalore" with the above enquiry number.

This enquiry will be closed on the 24th February 1953.

Materials as noted below.

N.B.—1. The supplying firms must have been approved by the Director-General of Civil Aviation, New Delhi.
2. Every part that is supplied must be accompanied with a Release Note signed by an approved authority of the firm.
3. Materials should be consigned to and delivered at the Yelahanka Railway Station, Bangalore.
4. The materials supplied are liable to be rejected at the cost of the firm if they are not up to the standard.
5. Rejected materials will be returned at the cost of the firm.
6. The firm will be responsible for the loss or damage during transit.
7. Rates quoted should be f.o.r. Yelahanka Railway Station, Bangalore.
8. Payments will be made against pre-receipted bills in triplicate through the Accountant-General, Mysore, Bangalore.
9. Any claim arising from these transactions will be settled in Bangalore courts irrespective of Court jurisdiction.
10. Quotations with firm prices will be preferred.
11. Sales-tax, if any, should be quoted separately.
12. Quotations will be opened at 2 P.M. on the next working day after the closing date.
13. No enhancement in price will be allowed under any circumstances.

Government Flying Training School, Bangalore.

Sl. No.	Part No.	Description	Quantity required	
1	H. 35673A	Acorn Port Group	1	
2	H. 35674A	Acorn Starboard Group	1	
3		Nut Metal thread 1/8"	1	gross
4		Screws 1/8" x 1" Metal thread	1	"
5	21917	Forkend for C/s strut	6	
6	H 11751	Nut lock	2	doz.
7	35124	Sturt Inter Plane	2	
8	35125	Do	2	
9	35063	Wire Stream Line	1	
10	35064	Do	1	
11	35067	Do	1	
12	35068	Do	2	
13	35065	Do	1	
14	35066	Do	1	
15	A1/5B	Bolt 4 BA	1	gross
16	A1/31C	" 2 "	6	doz.
17	A1/36C	" 2 "	6	"
18	19878 Mk. 2	Bolt Eye Hing	27	
19	11516	Clip fixing Bend	4	
20	54888	Edge Trailing	2	
21	AGS 840	Eyelet drain	1	gross
22	62862	Member	2	
23	18510	Tube Crown Stay	2	
24	DHS. 33 Mk. 1	Washer Shrank	1	"
25	DHS. 33 Mk. 2	Do	1	"
26	29684	Piece distance	4	
27	H. 14640	Bolt Countersunk	6	doz.
28	DHS. 14E	Do ¼" BSF	16	
29	35397	Plate Washer	3	
30	35398	Do	3	
31	34939	Do	6	
32	35154	Rib	1	
33	35153	Do	1	
34	AGS. 1615/36	Tag	3	doz.
35	29904	Washer Packing	6	
36	38556	Do	6	
37	EE. 4	Bearing Ball Race	6	
38	63754	Block filling	4	
39	62338	Bolt Special	8	
40	30872	Box Control	4	
41	63901	Box Extension L.H.	2	
42	63902	Do R.H.	2	
43	34850	Brace at Root End	4	
44	19444	Bracket	8	
45	35864	Do	4	
46	34917	Do	4	
47	AGS. 690B	Shackle	1	doz.
48	SP. 5/A7	Pin Shackle	1	"
49	32699	Pin Special	1	"
50	63084	Shackle	6	
51	18503	Edge leading	2	
52	54888 LH	Edge Trailing	1	
53	54888 RH	Do	1	
54	39548	Guide Cable	4	
55	3106 LH	Do	4	
56	3106 RH	Do	4	
57	62261	Lever for action Cal.	16	
58	19262	Lever	4	
59	351.0	Lug wiring	4	
60	35121	Do	4	
61	20336	Packing	4	
62	38595	Do	4	
63	63080	Do	2	
64	19828	Do	4	
65	19141	Packing spar	8	
66	37320	Do	4	
67	20237	Do	4	
68	22724	Do	4	
69	28716	Do	4	
70	36832	Do	2	
71	36833	Do	2	
72	19829	Packing Edge	4	
73	37317	Do	2	
74	63083	Piece distance	16	
75	39303	Plate Base	4	
76	63756	ND. Plate Cover	4	
77	19545	Plate Tethering LH.	2	
78	19545	Do RH.	2	
79	35155	Plate U	2	
80	35156	Do	2	
81	27264	Do	2	
82	27265	Do	2	
83	63757 ND	Plate Washer	8	
84	33808	Do	4	
85	33809	Do	4	
86	20336 Mk. 3	Do	4	
87	20337	Do	4	
88	27235	Do	8	
89	37563	Do	4	
90	35211	Do	2	
91	35212	Do	2	
92	39379	Do	2	
93	39380	Do	2	
94	26457	Plate from LH.	1	
95	26458	Do RH	1	
96	36278	Reinforce Piece	4	
97	36279	Do	4	
98	35299	Rib Aileron Gear	2	
99	35298	Do	2	
100	36768	Rib Rootend	1	
101	36769	Do	1	
102	6.910	Riblet	6	doz.
103	62911	Do	3	"
104	55371	Strip lever	1	
105	5:372	Do	1	
106	27271	Strip Camber	4	doz.
107	18510	Sturt	2	
108	35049	Do	2	
109	18826	Do	2	
110	35043	Do	1	
111	35044	Do	1	
112	19392	Tube distance	4	
113	37782	Tube support	4	
114	35292	Wire bracing	4	
115	35293	Do	8	
116	19437	Do	4	
117	23532	Wire stay	2	
118	31566	Block	1	
119	37175	Block	1	doz.
120	35460ND	Do	1	"
121	32746	Do	4	
122	32747	Do	4	
123	22275 Mk. 2	Do	5	"
124	62895	Bracket	4	
125	49310	Do	8	
126	49384	Fairing	2	
127	49337	Do	2	
128	34776	Fair lead	4	
129	34777 Mk. 1	Do	4	
130	34777 Mk. 2	Do	4	
131	35645	Guide	2	
132	62897	Member stay	2	
133	62898	Do	2	
134	27271	Packing	3	"
135	24631	Do	4	
136	34704	Do	1	"
137	22724	Do	4	
138	34756	Do	8	
139	20237 Mk. 3	Do	12	
140	M. 2654/B	Do	8	
141	M 2654/B	Do	4	
142	34197	L.H. Packing spar	2	off
143	34197	R.H. do	2	"
144	61662 ND	Packing spar	4	"
145	61663 "	Do	4	"
146	61664 "	Do	4	"
147	61663 "	Do	4	"
148	62894	Plate angle	4	"
149	62896	Do	4	"
150	34951	Do	4	"
151	32206	Plate arm	1	doz.
152	37964	Plate end	2	off
153	60603	Do	2	"
154	60604	Do	2	"
155	35258	Do	8	"

Sl. No.	Part No.	Description	Quantity required
156	37946	Plate rubbing	3 off
157	33842	Plate "U"	2 "
158	33843	Do	2 "
159	34759	Do	2 "
160	34760	Do	2 "
161	62892	Washer	6 "
162	36042	Plate wiring	4 "
163	34952	Do	4 "
164	61698	Do	4 "
165	34749	Reinforce cup piece	4 "
166	34749 Mk. 2	Do	4 "
167	34750	Do	4 "
168	34751	Do	4 "
169	32215	Rid Nose for Auto Slat	2 "
170	32216	Do	2 "
171	34963	Rib root end	2 "
172	34964	Do	2 "
173	49306 ND	Rib special nose	3 "
174	49307 ND	Do	3 "
175	35580	Shew for slots	4 "
176	32214	Slot aerofoil	1 "
177	32213	Do	1 "
178	36027	Strut	3 "
179	36028	Do	2 "
180	18827	Do	2 "
181	55373	Support	1 "
182	55374	Do	1 "
183	19487	Wiring bracing	4 "
184	35342	Do	2 "
185	19674	Do	1 "
186	35343	Do	1 "
187	37086	Fairing	2 "
188	18969	Plate	4 "
189	U 709	L.H. Tube stay	2 "
190	U 709	R.H. do	2 "
191	19878 Mk. 2	Bolt eye	2 "
192	13619	Packing spar	2 "
193	25962 Mk. D	Bolt eye	1 "
194	49084	Fairing	2 "
195	27208	Packing	2 "
196	27209	Do	2 "
197	40083	Plate steering	3 "
198	40084	Do	3 "
199	49209	Tube	2 "
200	42467	Weight	1 "
201	14058	L.H. Lug	1 "
202	14058	R.H. Lug	1 "
203	33216	Buffer	6 "
204	AGS. 260/84	Rivet	4 doz.
205	32757	Tube axle	2 off
206	130	Bearing ball race	6 "
207	37952	Bolt knuckle	19 "
208	45728	Bag grease	4
209	45871	Cone	2 off
210	AGS. 261/50	Rivet	1 gross
211	AGS. 261/51	Do	1 "
212	45588	Seating	4 off
213	24060	Pin Greaser	1 gross
214	U 1927	Rod radius group	1 off
215	22173	Struts V	1 "
216	18949	Washers	3 doz.
217	57594	Fair lead	3 off
218	609-4	Guide	3 "
219	42875	Piece distance	3 "
220	36862	Rod throttle	2 "
221	36866	Rod altitude	2 "
222	1628	Bag grease	8 "
223	U 2739	Bar rudder Front	2 "
224	U 2740	Do Rear	1 "
225	36733	Box control	2 "
226	22901	Bracket	6 "
227	25544	L.H. Bracket	3 "
228	25544	R.H. do	3 "
229	20739	L.H. do	3 "
230	20739	R.H. do	3 "
231	S/P. 4/5B	Pin shackle	2 doz.
232	AGS. 136/A	Thimble	3 off
233	19891	Rod guide	4 "
234	19582	Catch down	2 "
235	24216	Clip for rod	2 "
236	14467	Collar	3 "
237	36606	Cover	3 "
238	28878	Do	3 "
239	AGS. 156/3	Ferrale	6 off
240	16711	Guard	3 "
241	82888	Binge	3 "
242	24650	Bearing	2 "
243	29-00	Lever	2 "
244	19752	Lug for seat	8 "
245	13396	Lug	3 "
246	11558	Rounting	2 "
247	45604	Plate	2 "
248	19901 Mk. 2	Do	2 "
249	39604	Do	2 "
250	14494	Do	2 "
251	39605	Do	2 "
252	51391	Plate Spacer	1 doz.
253	62988	Plate Stiffening L.H.	3 off
254	62989	Do R.H.	3 "
255	40267	Rod connecting	2 "
256	190-1	Sleeve	3 "
257	13105	Spring	2 "
258	62990	Strip	6 "
259	36741	Support	1 "
260	36742	Do	2 "
261	U 2906	Unit control group	1 "
262	40162	Column control	2 "
263	31893	Fork end	4 "
264	21694	Lever	2 "
265	16951	Pin locking	1 "
266	36736	Shaft racking	10 "
267	14034	Strap	3 off
268	24282	Bracket	2 "
269	35560	Bracket pulley group	2 "
270	29564	Pulley	1 doz.
271	35549	Bracket	2 off
272	35252	Clip	6 "
273	35552	Bracket pulley group	2 "
274	35551	Bracket	2 "
275	34824	Cable stot locking	3 "
276	34825	Collar slot locking	3 "
277	49472	Rounting	2 "
278	35638	Pulley group	3 "
279	34960	Bracket	3 "
280	31086	Piece distance	3 "
281	35560	Pulley	1 doz.
282	34785	Quadrant group	2 off
283	34760	Bush	6 "
284	34781	Piece packing	6 "
285	AGS/972/20	Rivet	1 gross
286	AGS./972/22	Do	1 "
287	11639	Spring	8 off
288	14048	Stop	3 "
289	11633	Stud	3 "
290	35642	Shackle for cable	3 "
291	SPL. 690A	Shackle	3 "
292		Turnbuckle Avro for 5mm. cable	3 "
293	11645 Mk. 1	Bush distance	1 doz.
294	11635 Mk. 2	Do	1 "
295	28525	Rounding	2 off
296	24872	Do	2 "
297	35671	Quadrant and lever	1 "
298	19018	Bush	6 "
299	34813	Do	6 "
300	11644 Mk. 1	Piece distance	6 "
301	AGS. 500 M. 344	Rivet	1 gross
302	AGS. 500 D. 359	Do	1 "
303	34817	Bracket	3 off
304	34582	Crank	3 "
305	2-5 6	Fitting	3 "
306	36076	Packing	3 "
307	SP. 4/A7	Pin shackle	1 doz.
308	22434	Plate quadrant	3 off
309	AGS. 500 D. 892	Rivet	1 gross
310	AGS. 500 D 844	Do	1 "
311	AGS. 500 D 46	Do	1 "
312	34584	Shackle for link	3 off
313	22437	Spring leaf	3 "
314	34583	Stud	6 "
315	65179	Washer distance	6 "
316	34814	Rod	2 "
317	24871	Washer	1½ doz.
318	23719	Wire Tail Train	4 off
319	28029	Adaptor	2 "
320	41949	Block stop	2 "
321	35788	Bracket	2 "
322	35498	Do	2 "
323	37434	Do	2 "
324	35701 Mk. 1	Bush	6 "
325	25019	Elbow	4 "
326	13741	Piece distance	6 "
327	35845	Do	6 "
328	34886	Pipe	2 "
329	35709	Plate	2 "
330	35708	Do	2 "
331	3-796	Do	2 "
332	360-6	Do	2 "
333	41950	Do	2 "
334	31059	Rod	2 "
335	36-85	Rod fuel	2 "
336	3-618	Support	1 "
337	52756	Bag	2 "
338	18473	Bag	2 "
339	37372	Beading	2 "
340	3-178	Block	4 "
341	37868	Bolt special	8 "
342	34918	Bracing	1 "
343	SP 2764	Bracket	1 doz.
344	34640	Do	2 off
345	31641	Do	3 "
346	24835	L.H. Bracket	3 "
347	24835	R.H do	3 "
348	36756	Bracket	1 doz.
349	62817	Do	3 off
350	62818	Do	3 "
351	29716	Do	3 "
352	29717	Do	3 "
353	35468	Do	3 "
354	35489	Do	3 "
355	42528	Do	3 "
356	48549	Do	3 "
357	21608	Do	6 "
358	62888	Channel drain	6 "
359	37615	Cowl Rear Bulk Head	1 "
360	37332	Do	1 "
361	36138	Door Front St. bd.	2 off
362	48480	Door Rear Port	2 "
363	48181	Door Rear St. bd.	2 "
364	18464	Door Inspection	2 "
365	26068	Do	2 "
366	37371	Door Luggage	1 "
367	24336	Fair lead	6 "
368	24331	Do	6 "
369	39 96	Fillet	2 "
370	48464	Filling	2 "
371	48485	Do	2 "
372	50561	Floor Fuselage	1 "
373	V. 2932	Fuselage rear	1 "
374	48531	Fluid Flying	2 "
375	24702	Lug Harness	4 "
376	24703	Do	4 "
377	54793	Do	4 "

Sl. No.	Part No.	Description	Quantity required
378	34701	Lug Harness ...	2 off
379	31702	Do ...	2 ,,
380	16884	Pin ...	2 ,,
381	24176	L.H. Plate ...	2 ,,
382	40585	Plate ...	2 ,,
383	35 43	Do ...	1 ,,
384	36780	Do ...	4 ,,
385	35493	Do ...	2 doz.
386	M. 5871/C	Plate clamping ...	4 off
387	M. 5871/D	Do ...	4 ,,
388	33307	Plate drain ...	3 doz.
389	36778	Plate ...	2 off
390	24768	Do ...	4 off
391	43405 Mk. 2	Plate head ...	8 ,,
392	30988	Plate face ...	2 ,,
393	30989	Do ...	2 ,,
394	25045 Mk. 1	Plate ...	6 ,,
395	25045 Mk. 4	Do ...	3 ,,
396	25045 Mk. 5	Do ...	6 ,,
397	24382	Plate locking ...	2 doz.
398	35483	Plate ...	2 off
399	24841	Do ...	4 ,,
400	29448	L.H. Plate Support ...	2 ,,
401	29448	R.H. do ...	2 ,,
402	22411	Tube Cross ...	3 ,,
403	22413	Do ...	3 ,,
404	36971	Tube Stay ...	2 ,,
405		Propeller D.H. ...	2 ,,

8091

Dated 5th January 1953.

To

The Firms dealing in furniture.

Enquiry No. 11431.

Subject:—Supply of Wheeled Chairs for use in the Hospital.

DEAR SIR/GENTLEMEN,

No.S.P.C. 45915-30. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of Wheeled Chairs required for the Hospital use with the above enquiry number.

This enquiry will be closed on the 21st February 1953.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R.	Time of delivery
	WHEELED CHAIRS.			
1	The chairs should be made from Tubular steel rods and should be of average height.	...	...	...
2	Cushions should be provided for the seat and back.	...	...	...
3	Side wheels should be provided with white spokes just like the wheels of a cycle.	...	...	...
4	Pneumatic tyres and tubes should be used.	...	...	...

N.B.—1. A sketch is available in this office and it may be seen during office hours on any working day. Delivery should be free to the Institution in the Corporation limits.

2. Sales-tax should be quoted separately.

3. You should quote your rates as per specifications furnished in the sketch.

4. In case your quotation is accepted, the supply should be completed within 4 weeks from the date of order.

8138

Dated 5th February 1953.

To

The Firms dealing in equipment for Sound Recording.

Enquiry No. 11435.

Subject.—Equipment for Sound Recording Section.

Gentlemen,

No. S.P.C. 45931-45. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for equipment for Sound Recording Section" with the above enquiry number.

This enquiry will be closed on the 27th February 1953.

SCHEDULE.

No.	Description of materials	F.O.R. Bangalore.	Quantity
1	Magnetic Film Recorder with sychronous motor, two microphones and a microphone boom with facilities for dubbing sound on film and on disc with suitable matching transformers.		One
2	One 4-way Mixer suitable for use with RCA. PM. 45 equipment.		One
3	Other accessories:		
	(a) Standard variable area bilateral recording Galvonometer for checking installation alignment and testing of recording galvonometer and optical system.		One
	(b) Fidelity tone conversion kit complete with amplifier, mikes, G.N.R. units and galvonometer for modernising the Fidelity tone recording equipment.		One
	(c) Audio Dynamic Demonstrator with P.E. Microphone and Gramo input with arrangement for removing and fixing up the component for demonstration to students.		One
	(d) Undirectional Microphone for use with R.C.A. PM.45 equipment.		One
	(e) Attenuator pads for experiments		One set
	(f) Mechanically operated sound heads		Two
4	Epediascope *cum* strip projector with 1,000 watt. lamp and cooling system.		One

N.B.—1 Quotations with firm prices will be preferred

2 Sales-tax should be quoted separately. Whether you have registered yourself with the Mysore Sales Tax Act and if so, the Register Number may be mentioned in your quotation.

3 No enhancement in price will be allowed under any circumstances.

4 Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

8150b

Dated 6th February 1953.

To

The firms dealing in Surgical Instruments.

Enquiry No. 11433.

Subject:—Surgical Instruments.

Gentlemen,

No. S.P.C. 45966-90. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Surgical Instruments to T.B. Sanatorium" with the above enquiry number.

This enquiry will be closed on the 25th February 1953.

SCHEDULE.

No.	Description of materials	F.O.R., Bangalore.	Quantity
1	Rib Raspatory Doyen adult or child size, right ...		One
2	Rib Raspatory Doyen adult or child size, left ...		,,
3	First rib. Raspatory, Tudor Edward		,,
4	Costal Pericastome, John Alexander		,,
5	Rib Elevator, Davidson—Sauerbruck, Doyen ...		,,
6	Raspatory, claw formed for stripping pericastum from edge of the first rib anteriorly and for blunt section of its cartilage close to the sternum, can be used for elevating periostom from the edges of other rib well known and well approved same pattern.		,,